

## References

### **Research project 1**

#### *Microbial competition control in High Rate Anaerobic Reactors fed with Industrial Wastewaters*

S. Papirio, D.K. Villa-Gomez, G. Esposito, F. Pirozzi, P.N.L. Lens, 2013. Acid mine drainage treatment in fluidized-bed bioreactors by sulfate-reducing bacteria: a critical review. *Critical Reviews in Environmental Science and Technology* 43, 2545-2580.

S. Papirio, G. Esposito, F. Pirozzi, 2013. Biological inverse fluidized-bed reactors for the treatment of low pH- and sulphate-containing wastewaters under different COD/SO<sub>4</sub><sup>2-</sup> conditions. *Environmental Technology* 34, 1141-1149.

F. Villa, D. Albanese, D. Giussani, P.S. Stewart, D. Daffonchio, F. Cappitelli, 2010. Hindering biofilm formation with zosteric acid. *Biofouling* 26, 739-752.

P.S. Stewart, M.J. Franklin, 2008. Physiological heterogeneity in biofilms. *Nature Reviews in Microbiology* 6, 199-210.

L. Raskin, B.E. Rittmann, D.A. Stahl, 1996. Competition and coexistence of sulfate-reducing and methanogenic populations in anaerobic biofilms. *Applied and Environmental Microbiology* 62, 3847-3857.

### **Research project 2**

#### *Anaerobic digestion of industrial wastewaters at low temperatures*

McKeown R, Hughes D, Collins G, Mahony T, O'Flaherty V. 2012. Low-temperature anaerobic digestion for wastewater treatment. *Current Opinion in Biotechnology* 23:444–451.

Smith AL, Skerlos SJ, Raskin L. 2013. Psychrophilic anaerobic membrane bioreactor treatment of domestic wastewater. *Water Research* 47: 1655-1665.

Gao D-W, Hu Q, Yao C, Ren N-Q. 2014. Treatment of domestic wastewater by an integrated anaerobic fluidized-bed membrane bioreactor under moderate to low temperature conditions. *Bioresource Technology* 159: 193-198.

Shin C, McCarty PL, Kim J, Bae J. 2014. Pilot-scale temperate-climate treatment of domestic wastewater with a staged anaerobic fluidized membrane bioreactor (SAF-MBR). *Bioresource Technology* 159: 95-103.

Buntner D, Sánchez A, Garrido JM. 2013. Feasibility of combined UASB and MBR system in dairy wastewater treatment at ambient temperatures. *Chemical Engineering Journal* 230: 475–481.

Robles A, Ruano MV, Ribes J, Ferrer J. 2013. Performance of industrial scale hollow-fibre membranes in a submerged anaerobic MBR (HF-SAnMBR) system at mesophilic and psychrophilic conditions. *Separation and Purification Technology* 104: 290–296.

### **Research project 3**

#### *H<sub>2</sub>S removal from biogas using novel bioreactor configurations*

López, M.E., Rene, E.R., Veiga, M.C., Kennes, C. (2013) Biogas upgrading. In: Air Pollution Prevention and Control: Bioreactors and Bioenergy, C. Kennes and M.C. Veiga (Eds.), John Wiley & Sons, Ltd, UK, pp: 293-318.

López, M.E., Rene, E.R., Malhautier, L., Rocher, J., Bayle, S., Veiga, M.C., Kennes, C. (2013) One-stage biotrickling filter for the removal of a mixture of volatile pollutants from air: Performance and microbial community analysis. *Bioresource Technology*, 138, 245-252.

Manconi I. & Lens P. 2009. Removal of H<sub>2</sub>S and volatile organic sulphur compounds by silicone membrane extraction. *Journal of Chemical Technology and Biotechnology* 84(1), 69-77.

Kijjanapanich P., Kijjanapanich P., Annachhatre A.P., Esposito G. & Lens P.N.L. 2015. Spontaneous electrochemical treatment for sulfur recovery by a sulfide oxidation/vanadium(V) reduction galvanic cell. *Journal of Environmental Management* 149, 263–270.

### **Research project 4**

#### *Biosequestration of CO<sub>2</sub> in algal photo-bioreactors*

Kumar, K., Dasgupta, C.N., Nayak, B., Lindblad, P., Das, D. (2011) Development of suitable photobioreactors for CO<sub>2</sub> sequestration addressing global warming using green algae and cyanobacteria. *Bioresource Technology*, 102, 4945-4953.

Nayak, B.K., Das, D. (2013) Improvement of carbon dioxide biofixation in a photobioreactor using *Anabaena sp.* PCC 7120. *Process Biochemistry*, 48, 1126-1132.

Karya N.G.A.I., van der Steen N.P. & Lens P.N.L. (2013). Photo-oxygenation to support nitrification in an algal-bacterial consortium treating artificial wastewater. *Bioresource Technology* 134, 244-250.

Honda R., Boonnorat J., Chiemchaisri C., Chiemchaisri W., Yamamoto K. (2012). Carbon dioxide capture and nutrients removal utilizing treated sewage by concentrated microalgae cultivation in a membrane photobioreactor, *Bioresource Technology* 09/2012; 125C:59-64.

### **Research project 5**

#### *Biohydrogen production and VFAs recovery from complex organic substrates under hyperthermophilic conditions*

Tam Anh D. Nguyen, Jun Pyo Kim , Mi Sun Kim , You Kwan Oh , Sang Jun Sim, Optimization of hydrogen production by hyperthermophilic eubacteria, *Thermotoga maritima* and *Thermotoga neapolitana* in batch fermentation. *Int. J. of Hydrogen Energy* 2008, 33: 1483-1488.

Samir I. Gadow, Hongyu Jiang, Toshimasa Hojo, Yu-You Li. Cellulosic hydrogen production and microbial community characterization in hyper-thermophilic continuous bioreactor. *Int. J. of Hydrogen Energy* 2013, 38: 7259-7267.

3. Jungeun Lee, Eunhee Seol, Gurpreet Kaur, You-Kwan Oh, Sunghoon Park. Hydrogen production from C1 compounds by a novel marine hyperthermophilic archaeon *Thermococcus onnurineus* NA1. *Int. J. of Hydrogen Energy* 2012, 37: 11113-21.
4. Kotsopoulos, T.A.; Fotidis, I.A.; Tsolakis, N.; Martzopoulos, G.G. BioH<sub>2</sub> production from pig slurry in a CSTR reactor system with mixed cultures under hyperthermophilic temperature (70 °C). *Biomass and Bioenergy* 2009, 33 (9), 1168-74.
5. Di Pasquale, L.; d'Ippolito, G.; Fontana, A. Capnophilic lactic fermentation and hydrogen synthesis by *Thermotoga neapolitana*: An unexpected deviation from the dark fermentation model. *Int. J. of Hydrogen Energy* 2014, 39(10), 4857-62.
6. Di Pasquale L.; Adessi, A.; d'Ippolito, G.; Rossi, F.; Fontana, A.; De Philippis, R. Introducing capnophilic lactic fermentation in a combined dark-photo fermentation process: a route to unparalleled H<sub>2</sub> yields. *Appl Microbiol Biotechnol* 2015, 99, 1001-1010

### **Research project 6**

*Optimization and Mathematical modelling based control of trace metal dosing in anaerobic digestion of solid waste*

- Fermoso, F. G., Bartacek, J., Jansen, S., & Lens, P. N. (2009). Metal supplementation to UASB bioreactors: from cell-metal interactions to full-scale application. *Science of the total environment*, 407(12), 3652-3667.
- Glass, J. B., & Orphan, V. J. (2012). Trace metal requirements for microbial enzymes involved in the production and consumption of methane and nitrous oxide. *Frontiers in microbiology*, 3.
- Zandvoort, M. H., Van Hullebusch, E. D., Fermoso, F. G., & Lens, P. N. L. (2006). Trace metals in anaerobic granular sludge reactors: bioavailability and dosing strategies. *Engineering in Life Sciences*, 6(3), 293-301.
- Esposito, G., Frunzo, L., Panico, A., & Pirozzi, F. (2011). Modelling the effect of the OLR and OFMSW particle size on the performances of an anaerobic co-digestion reactor. *Process Biochemistry*, 46(2), 557-565.
- Esposito, G., Frunzo, L., Panico, A., & Pirozzi, F. (2011). Model calibration and validation for OFMSW and sewage sludge co-digestion reactors. *Waste management*, 31(12), 2527-2535.
- VanBriesen, J. M., & Rittmann, B. E. (1999). Modeling speciation effects on biodegradation in mixed metal/chelate systems. *Biodegradation*, 10(5), 315-330.
- Rittmann, B. E., Banaszak, J. E., VanBriesen, J. M., & Reed, D. T. (2002). Mathematical modeling of precipitation and dissolution reactions in microbiological systems. *Biodegradation*, 13(4), 239-250.

## Research project 7

### *Developing microbial monitoring methods for anaerobic biological processes*

Tolvanen KES, Karp MT. 2011. Molecular methods for characterizing mixed microbial communities in hydrogen-fermenting systems. *International Journal of Hydrogen Energy* 36 : 5280-5288.

Tolvanen KES, Koskinen PEP, Ylikoski AI, Ollikka PK, Hemmilä IA, Puhakka JA, Karp MT. Quantitative monitoring of a hydrogen-producing *Clostridium butyricum* strain from a continuous-flow, mixed culture bioreactor employing real-time PCR. *International Journal of Hydrogen Energy* 33 : 542-549.

Vanwonterghem I, Jensen PD, Ho DP, Batstone DJ, Tyson GW. 2014. Linking microbial community structure, interactions and function in anaerobic digesters using new molecular techniques. *Current Opinion in Biotechnology* 27:55–64.

Regueiro L, Veiga P, Figueroa M, Alonso-Gutierrez J, Stams AJM, Lema J, Carballa M. 2012. Relationship between microbial activity and microbial community structure in six full-scale anaerobic digesters. *Microbiological Research* 167 : 581–589.

Chen S, Zhu Z, Park J, Zhang Z, He Q. 2014. Development of *Methanoculleus*-specific real-time quantitative PCR assay for assessing methanogen communities in anaerobic digestion. *Journal of Applied Microbiology* 166 : 1474-1481.

## Research project 8

### *Use of effluents of anaerobic digestion and microbial fuel cells as nutrient sources for microalgal biomass production*

Hulatt CJ, Lakaniemi A-M, Puhakka JA, Thomas DN. 2012. Energy demands of nitrogen fertiliser supply in mass cultivation of two commercially important microalgal species, *Chlorella vulgaris* and *Dunaliella tertiolecta*. *Bioenergy Research* 5: 669-684.

De Schampelaire L, Verstraete W. 2009. Revival of the biological sunlight-to-biogas energy conversion system. *Biotechnology and Bioengineering* 103: 296-304.

Cai T, Park SY, Racharaks R, Li Y. 2013. Cultivation of *Nannochloropsis salina* using anaerobic digestion effluent as a nutrient source for biofuel production. *Applied Energy* 108 : 486–492.

Cheng J, Xu J, Huang Y, Li Y, Zhou J, Cen K. 2015. Growth optimisation of microalga mutant at high CO<sub>2</sub> concentration to purify undiluted anaerobic digestion effluent of swine manure. *Bioresource Technology* 177 : 240–246

Marjakangas JM, Chen C-Y, Lakaniemi A-M, Puhakka JA, Whang L-M, Chang J-S. 2015. Selecting an indigenous microalgal strain for lipid production in anaerobically treated piggery wastewater. *Bioresource Technology*, *in press*.  
doi:10.1016/j.biortech.2015.02.075

## Research project 9

### *Fate of trace metals in soils after land application of digestate*

Atefeh Ramezani Bajgiran (2013) Influence of Soil Amendments and Soil Properties on Macro- and Micronutrient Availability to Microorganisms and Plants (Doctoral Thesis, Swedish University of Agricultural Sciences, Uppsala) [http://pub.epsilon.slu.se/10218/1/ramezani\\_a\\_130410.pdf](http://pub.epsilon.slu.se/10218/1/ramezani_a_130410.pdf)

Basta N.T., Ryan J.A., Chaney R.L. (2005), Trace element chemistry in residual-treated soil: key concepts and metal bioavailability. *J. Environ. Qual.*, 34, 49–63.

Bonetta, S., Bonetta, S., Ferretti, E., Fezia, G., Gilli, G., Carraro, E. Agricultural reuse of the digestate from anaerobic co-digestion of organic waste: Microbiological contamination, metal hazards and fertilizing performance (2014) *Water, Air, and Soil Pollution*, 225 (8), pp. 1-11.

Evaluation of the quality, biosecurity and agronomic usefulness of digestates from different digester trials [http://www.valorgas.soton.ac.uk/Deliverables/VALORGAS\\_241334\\_D6-2\\_rev%5B1%5D\\_131124.pdf](http://www.valorgas.soton.ac.uk/Deliverables/VALORGAS_241334_D6-2_rev%5B1%5D_131124.pdf)

Gulyás, M., Tomocsik, A., Orosz, V., Makádi, M., Füleky, G. Risk of agricultural use of sewage sludge compost and anaerobic digestate (2012) *Acta Phytopathologica et Entomologica Hungarica*, 47 (2), pp. 213-221.

Kajsa Risberg (2015) Quality and function of anaerobic digestion residues; Faculty of Natural Resources and Agricultural Sciences. Department of Microbiology. Uppsala [http://pub.epsilon.slu.se/12017/1/risberg\\_k\\_150324.pdf](http://pub.epsilon.slu.se/12017/1/risberg_k_150324.pdf)

Insam, H., Gómez-Brandón, M., & Ascher, J. (2015). Manure-based biogas fermentation residues—Friend or foe of soil fertility?. *Soil Biology and Biochemistry*, 84, 1-14.

Lukehurst, C. T., Frost, P., & Al Seadi, T. (2010). Utilisation of digestate from biogas plants as biofertiliser. IEA Bioenergy. [http://www.iea-biogas.net/files/daten-redaktion/download/publi-task37/Digestate\\_Brochure\\_Revised\\_12-2010.pdf](http://www.iea-biogas.net/files/daten-redaktion/download/publi-task37/Digestate_Brochure_Revised_12-2010.pdf)

Makadi, M., Tomocsik, A., Orosz, V., (2012). Digestate: a new nutrient source e re- view. In: Kumar, S. (Ed.), *Biogas*. Intech, pp. 295e309.<http://cdn.intechopen.com/pdfs-wm/31331.pdf>

Miaomiao, H., Wenhong, L., Xinqiang, L., Donglei, W., Guangming, T. Effect of composting process on phytotoxicity and speciation of copper, zinc and lead in sewage sludge and swine manure (2009) *Waste Management*, 29 (2), pp. 590-597.

Möller, K., & Müller, T. (2012). Effects of anaerobic digestion on digestate nutrient availability and crop growth: A review. *Engineering in Life Sciences*, 12(3), 242-257.

Nkoa, R. Agricultural benefits and environmental risks of soil fertilization with anaerobic digestates: A review (2014) *Agronomy for Sustainable Development*, 34 (2), pp. 473-492.

Templeton D.M, F Ariese, R Cornelis, L.-G Danielsson, H Muntau, H.P Van Leeuwen, R Lobinski (2000) Guidelines for terms related to chemical speciation and fractionation of elements. Definitions, structural aspects, and methodological approaches (IUPAC Recommendations 2000) *Pure Appl. Chem.*, 72 (8), p. 1453

Valeur, I. (2011). Speciation of heavy metals and nutrient elements in digestate. Diss.:Norwegian University of life sciences. [http://brage.bibsys.no/xmlui/bitstream/handle/11250/189324/Ida\\_Valeur.pdf?sequence=1](http://brage.bibsys.no/xmlui/bitstream/handle/11250/189324/Ida_Valeur.pdf?sequence=1)

Zhang, H., Davison, W., Knight, B., & McGrath, S. (1998). In situ measurements of solution concentrations and fluxes of trace metals in soils using DGT. *Environmental Science & Technology*, 32(5), 704-710.

## **Research project 10**

*Digestate valorization for soil remediation : landfarming of hydrocarbons contaminated soils*

Agamuthu, P., Tan, Y. S., & Fauziah, S. H. (2013). Bioremediation of hydrocarbon contaminated soil using selected organic wastes. *Procedia Environmental Sciences*, 18, 694-702.

Antizar-Ladislao, B., Lopez-Real, J., & Beck, A. (2004). Bioremediation of polycyclic aromatic hydrocarbon (PAH)-contaminated waste using composting approaches. *Critical Reviews in Environmental Science and Technology*, 34(3), 249-289.

Bamforth, S. M., & Singleton, I. (2005). Bioremediation of polycyclic aromatic hydrocarbons: current knowledge and future directions. *Journal of Chemical Technology and Biotechnology*, 80(7), 723-736.

Genouw, G., de Naeyer, F., van Meenen, P., van de Werf, H., de Nijs, W., Verstraete, W. Degradation of oil sludge by landfarming - A case-study at the Ghent harbour (1994) *Biodegradation*, 5 (1), pp. 37-46.

Harmsen, J., Rulkens, W.H., Sims, R.C., Rijtema, P.E., Zweers, A.J. Theory and application of landfarming to remediate polycyclic aromatic hydrocarbons and mineral oil-contaminated sediments; beneficial reuse (2007) *Journal of Environmental Quality*, 36 (4), pp. 1112-1122.

Joo, H. S., Shoda, M., & Phae, C. G. (2007). Degradation of diesel oil in soil using a food waste composting process. *Biodegradation*, 18(5), 597-605.

Jørgensen, K. S., Puustinen, J., & Suortti, A. M. (2000). Bioremediation of petroleum hydrocarbon-contaminated soil by composting in biopiles. *Environmental Pollution*, 107(2), 245-254.

Juteau, P., Bisailon, J. G., Lépine, F., Ratheau, V., Beaudet, R., & Villemur, R. (2003). Improving the biotreatment of hydrocarbons-contaminated soils by addition of activated sludge taken from the wastewater treatment facilities of an oil refinery. *Biodegradation*, 14(1), 31-40.

Katsivela, E., Moore, E.R.B., Maroukli, D., Strömpl, C., Pieper, D., Kalogerakis, N. Bacterial community dynamics during in-situ bioremediation of petroleum waste sludge in landfarming sites (2005) *Biodegradation*, 16 (2), pp. 169-180.

Kriipsalu, M., Marques, M., Nammari, D. R., & Hogland, W. (2007). Bio-treatment of oily sludge: The contribution of amendment material to the content of target contaminants, and the biodegradation dynamics. *Journal of Hazardous Materials*, 148(3), 616-622.

Kuo, Y.-C., Wang, S.-Y., Kao, C.-M., Chen, C.-W., Sung, W.-P. Using enhanced landfarming system to remediate diesel oil-contaminated soils (2012) *Applied Mechanics and Materials*, 121-126, pp. 554-558.

Morgan, P., & Atlas, R. M. (1989). Hydrocarbon degradation in soils and methods for soil biotreatment. *Critical reviews in biotechnology*, 8(4), 305-333.

Ros, M., Rodríguez, I., García, C., Hernández, T. Microbial communities involved in the bioremediation of an aged recalcitrant hydrocarbon polluted soil by using organic amendments (2010) *Bioresource Technology*, 101 (18), pp. 6916-6923.

Straube, W. L., Nestler, C. C., Hansen, L. D., Ringleberg, D., Pritchard, P. H., & Jones-Meehan, J. (2003). Remediation of polyaromatic hydrocarbons (PAHs) through landfarming with biostimulation and bioaugmentation. *Acta Biotechnologica*, 23(2-3), 179-196.

Wellman, D.E., Ulery, A.L., Barcellona, M.P., Duerr-Auster, S. Animal waste-enhanced degradation of hydrocarbon-contaminated soil (2001) *Soil and Sediment Contamination*, 10 (5), pp. 511-523.

### **Research project 11**

*Simultaneous hydrogen and electricity production and heat recovery from biogas using hybrid fuel cells*

Mehta, Viral, and Joyce S. Cooper (2003) Review and Analysis of PEM Fuel Cell Design and Manufacturing. *Journal of Power Sources* 114: 32-33.

Deliang He, Yann Bultel, Jean-Pierre Magnin, Claude Roux, John C. Willison (2005) Hydrogen photosynthesis by *Rhodobacter capsulatus* and its coupling to a PEM fuel cell. *Journal of Power Sources* 141(1): 19-23.

Jana P. S., Behera M., and Ghangrekar M. M. (2010) Performance comparison of up-flow microbial fuel cells fabricated using proton exchange membrane and earthen cylinder. *International Journal of Hydrogen Energy*, 35(11): 5681-5686.

Xiao L., Young E. B., Berges J. A., and He Z. (2012) Integrated photo-bioelectrochemical system for contaminants removal and bioenergy production. *Environmental Science and Technology* 46(20): 11459-11466.

Juan Xu, Guo-Ping Sheng, Hong-Wei Luo, Wen-Wei Li, Long-Fei Wang, Han-Qing Yu (2012) Fouling of proton exchange membrane (PEM) deteriorates the performance of microbial fuel cell. *Water Research* 46(6):1817-1824.